AMWTP-026

DOE/ID-10213

HWMA/RCRA Part A Permit Application for the Idaho National Engineering and Environmental Laboratory

PADS TSA-1/TSA-R and TSA-2 and TSA-RMF

at the

Transuranic Storage Area

Volume 1a

BNFL Inc.

January 2001

MANUAL TITLE:

HWMA/RCRA Part A Permit Application for the Idaho National

Engineering and Environmental Laboratory

Pads TSA-1/TSA-R and TSA-2 and TSA-RMF at the

Transuranic Storage Area

Volume 1A

BNFL Inc. January 2001

ASSIGNED TO:

Maggie Mc Lovern CONTROL#: 3

PUBLIC READING ROOM
U.S. DEPARTMENT OF ENERGY
IDAHO OPERATIONS OFFICE



1410 North Hilton • Boise, Idaho 83706-1255 • (208) 373-0502

Dirk Kempthorne, Governor C. Stephen Allred, Director

November 14, 2000

CERTIFIED MAIL #7099 3220 0006 2681 1109

Mr. Dave Wessman DOE-Idaho Operations Office 850 Energy Drive Idaho Falls, Idaho 83401-1563

Mr. Fred Hughes Advanced Mixed Waste Treatment Project 1970 East 17th Street, Suite 207 Idaho Falls, Idaho 83404

Mr. Paul Divjak Bechtel BWXT Idaho, LLC P.O. Box 1625 Idaho Falls, Idaho 83415

SUBJECT:

Transfer of Operational Control of the RWMC TSA Interim Status Units from Bechtel

BWXT Idaho, LLC to BNFL

Dear Mr. Wessman, Mr. Hughes, and Mr. Divjak:

This letter is regarding the October 3, 2000 request to modify the Part A Permit at the Idaho National Engineering and Environmental Laboratory, EPA ID No. 4890008952.

The State of Idaho, Department of Environmental Quality (DEQ), has reviewed DOE-ID's request to modify the HWMA/RCRA Part A Permit Application for the Idaho National Engineering and Environmental Laboratory PADS TSA-1/TSA-R, TSA-2 and TSA-RMF at the Transuranic Storage Area, Volume 1a. This modification transfers operational control from BBWI to BNFL.

Based on this review, the DEQ hereby approves this modification.

If you have any questions or comments, please contact Mr. Gary Adamson at (208) 373-0316

Sincerely.

Brian R. Monson, HW Program Manager

Waste Management & Remediation Division

BRM\GA:ls

cc:

J. Hunt, EPA Region 10

R. Owens, IFRO

COF

D. D. Nishimoto, SAIC

K. Trever, INEEL Oversight

INpbp

INppa 5



Department of Energy

Idaho Operations Office 850 Energy Drive Idaho Falls, Idaho 83401-1563

October 3, 2000

C. Stephen Allred, Director c/o: Ms. Katherine Kelly, Administrator Idaho Department of Environmental Quality State Waste Management and Remediation Program 1410 North Hilton Boise, ID 83706-1255

SUBJECT: Notice of Transfer of Operational Control of the RWMC TSA Interim Status Units (TS-ETSD-00-198)

Dear Mr. Allred:

This letter is to inform you of the planned transfer of operational control of the RWMC TSA interim status (IS) units (i.e., TSA-1/R, TSA-2 and the TSA-RE RMF) from the current operator, Bechtel BWXT Idaho, LLC (BBWI) to BNFL Inc. at 12:00 AM on January 2, 2001, in support of the Advanced Mixed Waste Treatment Project (AMWTP). The TSA IS units are located within building WMF-636, the Transuranic Storage Area-Retrieval Enclosure (TSA-RE) at the Radioactive Waste Management Complex (RWMC) at the Idaho National Engineering and Environmental Laboratory (INEEL).

Enclosed are two copies of the newly created Volume 1a of the INEEL HWMA/RCRA Part A Permit Application. This new volume is largely excerpted from the applicable portions of the existing January 2000 revision of Volume 1, *HWMA/RCRA Part A Permit Application for the INEEL*, prepared by BBWI. In accordance with 40 CFR 265.12(b), a letter from the current operator (BBWI) to the new operator (BNFL Inc.), notifying them of the requirements of 40 CFR Parts 265 and 270, will be forthcoming.

BNFL Inc. has delegated authority for signing environmental permits and reports to the AMWTP General Manager, Frederick P. Hughes. Documentation for this change is enclosed, in accordance with IDAPA 58.01.05.012 [40 CFR Part 270.11(c)].

We appreciate your attention and efforts on this important project. For any questions that may arise, please call Greg Hula at (208) 526-9899 or Doug Nishimoto (SAIC) at (208) 528-2121.

Sincerely,

Teresa L. Perkins, Director

Environmental Technical Support Division

Enclosure

cc: w/enc.

Robert E. Bullock, IDEQ Jeff Hunt, EPA Region 10 Rensay Owen, DEQ, IFO Kathleen Trever, INEEL Oversight



Memorandum

To: Fred P. Hughes
General Manager, Advanced Mixed Waste Treatment Plant

Date: August 31, 2000

cc: K. Edward Newkirk
Vice President and General Counsel

Carl B. Smith
Corporate Manager, Environmental Health & Safety/Quality
Assurance

From: Paul A. Miskimin Quel a. Miskernen

Your ref:

President and Chief Executive Officer

Ext: (703) 460-2000

Our ref:

Fax: (703) 385-5343

Subject: Delegation of Authority Relating to Environmental Permits and Reports

The purpose of this memorandum is to delegate certain of my authorities to you, as General Manager in charge of BNFL's Advanced Mixed Waste Treatment Plant (AMWTP) Project located at the U.S. Department of Energy's Idaho National Environmental Engineering Laboratory.

Federal, state and certain local environmental laws and regulations state that the only persons authorized to sign certain environmental permit applications are (1) a corporate officer or (2) a manager of one or more manufacturing, production or operating facilities employing more than 250 persons or having gross annual sales or expenditures exceeding \$25 million (in 1980 dollars). The BNFL Inc. position of General Manager on the AMWTP Project fully satisfies the latter category.

Accordingly, as President and Chief Executive Officer of BNFL Inc., I hereby authorize you as BNFL's General Manager of the AMWTP Project, to take and perform the following actions on behalf of BNFL Inc.:

- 1. Signing any (a) federal, state, or local environmental permit application, (b) application for modification, assignment, or transfer of any environmental permit, and (c) contract, agreement or commitment that BNFL will become a permittee or co-permittee, or will assume any responsibilities as a permittee or co-permittee, of any environmental permit or modification relating to the AMWTP Project; and
- 2. Signing of all reports required by federal, state or local permits relating to the AMWTP Project.

Inasmuch as environmental permitting is a critical component of BNFL's commitment to safety and environmental compliance, your authority under item 1 requires that you provide a copy of any environmental permit application or other such documentation to the General Counsel and to the Director of ES&H/QA and obtain their concurrence before signing any such document. Your authority under item 1 is not subdelegable.

With regard to item 2, if authorized by law and regulations, you may subdelegate this responsibility to the appropriate manager. Any such subdelegation shall be in writing and shall require the prior concurrence of the General Counsel and the Director of ES&H/QA.

In addition, if at any time, it appears that the AMWTP Project neither employs more than 250 persons nor has gross annual sales or expenditures exceeding \$25 million (in 1980 dollars), this delegation shall be automatically revoked.

ASK/js

K:\AMWTP\Amwtp00\Delegation1.doc

HWMA/RCRA Part A Permit Application for the Idaho National Engineering and Environmental Laboratory

PADS TSA-1/TSA-R and TSA-2 and TSA-RMF

at the

Transuranic Storage Area

Volume 1a

BNFL Inc.

January 2001

ACRONYMS

AEC Atomic Energy Commission

AMWTF Advanced Mixed Waste Treatment Facility

AMWTP Advanced Mixed Waste Treatment Project

ASWS Air Support Weather Shield

BBWI Bechtel BWXT Idaho
CFA Central Facilities Area

DEQ Department of Environmental Quality

DOE Department of Energy

HWMA Hazardous Waste Management Act

IDAPA Idaho Administrative Procedures Act

ILTSF Intermediate-Level Transuranic Storage Facility

INEEL Idaho National Engineering and Environmental Laboratory

M&O Management and Operations

RCRA Resource Conservation and Recovery Act

RMF Retrieval Modification Facility

RWMC Radioactive Waste Management Complex

SDA Subsurface Disposal Area

SWEPP Stored Waste Examination Pilot Plant

TRU transuranic

TRUPACT transuranic package transporter

TSA-RE TSA-Retrieval Enclosure

TSA-RE RMF TSA-RE Retrieval Modification Facility

WIPP Waste Isolation Pilot Plant

WSF Waste Storage Facility

1

INTRODUCTION

2	This Part A Application for the interim status units (pads TSA-1/TSA-R and TSA-2 and
3	TSA-RMF, hereafter collectively referred to as the TSA units) at the Transuranic Storage Area-
4	Retrieval Enclosure (TSA-RE) at the Radioactive Waste Management Complex (RWMC) at the
5	Idaho National Engineering and Environmental Laboratory (INEEL) is presented on
6	Environmental Protection Agency (EPA) Form 8700-23.
7	The TSA units were included in the January 2000 revision (and the 8/1/00 Summary
8	revision) of the INEEL HWMA/RCRA Part A Permit Application, prepared by Bechtel BWXT
9	Idaho (BBWI). This revised Part A application is to support transfer of operational control of the
10	TSA units from BBWI, the primary contractor for the INEEL, to BNFL Inc., which will operate
11	the TSA interim status units as part of the overall Advanced Mixed Waste Treatment Project
12	(AMWTP).
13	As applicable, the format of this volume is based on that established in DOE/ID-10213,
14	Volume 1 HWMA/RCRA Part A Permit Application for the INEEL, as referenced in
15	paragraph 1, page 4A of 7 of EPA Form 8700-23.

1

2

TSA UNITS PART A PERMIT APPLICATION

REVISION LOG

This revision log will be maintained to provide a brief synopsis of changes to the TSA 3 Units Part A application that may occur after the TSA-RE (including associated interim status 4 units) is transferred to BNFL Inc. operational control in January 2001. The primary purpose of 5 the revision log is to provide a historical account of each revision. The log will reflect overall 6 changes and will include letters from the Department of Environmental Quality (DEQ) relevant 7 to changes in the TSA Units Part A application, but will not document all correspondence from 8 others (e.g., DOE or the INEEL management and operations [M&O] contractor) related to the 9 Part A application. The reader is directed to Volume 1, HWMA/RCRA Part A Permit 10 Application for the INEEL, for changes prior to the January 2001 transfer date. 11

Revision	Date Submitted and/or Approved	Summary of Changes
January 2001	Submitted to DEQ	This draft revision was prepared by BNFL Inc. in
	October 2000	October 2000, using a revision date of January 2001
		to reflect a January 2001 operator transfer date.

PART A PERMIT APPLICATION

EPA FORM 8700-23

Form Approved, OMB No. 2050-0034 Expires 10/31/99 Please print or type with ELITE type (12 characters per inch) in the unshaded areas only GSA No. 0248-EPA-OT For EPA Regional Use Only United States Environmental Protection Agency Washington, DC 20460 **Hazardous Waste Permit** Application **Date Received** Month Year Day Part A (Read the Instructions before starting) I. Installation's EPA ID Number (Mark 'X' in the appropriate box) B. Part A Amendment # Rev September 2000 A. First Part A Submission C. Installation's EPA ID Number D. Secondary ID Number (If applicable) ID4890008952 II. Name of Facility Idaho National Engineering and Environmental Laboratory (INEEL) Transuranic Storage Area Pads & RMF III. Facility Location (Physical address not P.O. Box or Route Number) A. Street Street (Continued) State Zip Code City or Town ID 83415 Scoville County Code **County Name** Butte D. Facility Existence Date C. Geographic Location B. Land Type LATITUDE (Degrees, Minutes, & Seconds) LONGITUDE (Degrees, Minutes & Seconds) Year Month Day (Enter code) 1970 11 01 113, 2', 17" F 43, 29', 55" IV. Facility Mailing Address Street or P.O. Box 850 Energy Drive Zip Code State City or Town ID 83401 Idaho Falls V. Facility Contact (Person to be contacted regarding waste activities at facility) (First) Name (Last) Donald N Rasch Phone Number (Area Code and Number) Job Title (208) 526-1511 **Environmental Programs** VI. Facility Contact Address (See instructions)

A. Contact Address Location Mailing X

Idaho Falls

B. Street or P.O. Box

850 Energy Drive

City or Town

ID 83401-1563

Zip Code

State

Disc					Form Approv	ved, OMB No. 2050-0034 Expires 10/31/99			
		ne with ELITE type (12 characters per inch) in the ure refer (Enter from page 1)	ishaded areas onl	,		GSA No. 0248-EPA-07 Enter from page 1)			
<u> </u>	48900089			36601	idary ib rearriser (i	page 1)			
		formation (See instructions)							
Na	me of Operat	or							
BN	IFL Inc.		A.						
Str	eet or P.O. B	ox				•			
19	70 East 17	th Street, Suite 207							
Cit	y or Town			State	ZIP Code				
Ida	ho Falls			ID	83404				
Pho	ne Number	(Area Code and Number)	B. Operator T	ype C. Cha	nge of Operator	Date Changed			
2000	8) 524-84		P	Yes		Month Day Year			
_		ner (See Instructions)	1	ies	A NO	01 02 2001			
		lity's Legal Owner							
		ent of Energy, Idaho Operations Office	<u> </u>			*			
	et or P.O. Bo				-				
850	Energy D	Drive							
	or Town		*************************************	State	ZIP Code				
Ida	ho Falls			ID	83401				
				And the second					
Dha	no Mrumbau i	Mana Carla and November	B. Owner Type	C. Cha	nge of Owner	Date Changed Month Day Year			
		Area Code and Number)			Indicator Month Day				
	8) 526-249	-digit, in order of significance)*See footnote	F	Yes	No X				
	710 00dc3 [4	Primary			Secondary				
		(Description)		(Descrip	otion)				
541	71	R&D physical, engineering, & life sciences	562998	Misc V	Vaste Managemer	nt Services			
		Secondary (Description)		(Descrip	Secondary				
924		Admin of solid waste management program		(Descrip					
		mental Permits (See instructions)							
	ermit Type er code)	B. Permit Number			C. Descrip	otion			
	E	License issued 9/25/97		Hazardous	Waste Facility Siti	ing License (for AMWTP)			
	E	Final approval granted 10/14/98		NESHAPS	(for AMWTP)				
	P	Issued 7/19/00 (023-000001)		Idaho Air (Quality Permit to	Construct (AMWTP)			
	R	Effective 8/18/00 (ID4890008952 & IDR	.0000002881))		CRA (Treatment,				
	R N	Transfer date 8/7/00 (ID4890008952)			-	WMC [WMF-634])			
	11	Issued 9/22/99 (IDR10A429)		NPDES St	orm Water Const	ruction General Permit			

EPA I.D. Number (Enter from page 1)

Secondary ID Number (Enter from page 1)

ID4890008952

XI. Nature of Business (Provide a brief description)

The Transuranic Storage Area (TSA) is a 56-acre area located in the southern section of the INEEL, dedicated to the temporary storage of contactand remote-handled radioactive-only and mixed wastes. The TSA Retrieval Enclosure (TSA-RE) is a weather-tight metal building constructed over three aboveground storage pads to facilitate retrieval of the waste for subsequent processing for transport to and disposal at the Waste Isolation Pilot Plant (WIPP). The building covers the waste stack, berms, and sloped earth on storage pads TSA-1/R, with an adjacent wing over waste storage pad TSA-2. The work area within the TSA-RE encloses the earth overburden that will be removed to expose waste containers for subsequent retrieval and management. Additional information to satisfy the requirements specified at IDAPA 58.01.05.012 [40 CFR 270.13(a), (i) & (m)] is given in the supplement for Item XII.

XII. Process Codes and Design Capacities

- PROCESS CODE Enter the code from the list of process codes below that best describes each process to be used at the facility. Thirteen lines are provided for entering codes. If more lines are needed, attach a separate sheet of paper with the additional information. For "other" processes (i.e., D99, S99, T04 and X99), describe the process (including its design capacity) in the space provided in item XIII.
- PROCESS DESIGN CAPACITY For each code entered in column A, enter the capacity of the process.
 - AMOUNT Enter the amount. In a case where design capacity is not applicable (such as in a closure/post-closure or enforcement action) enter the total amount of waste for that process.
 - UNIT OF MEASURE For each amount entered in column B(1), enter the code from the list of unit measure codes below that describes the unit of measure used. Only the units of measure that are listed below should be used.
- PROCESS TOTAL NUMBER OF UNITS Enter the total number of units used with the corresponding process code.

PRO COD	CESS E PROCESS	APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY	PRO	CESS E PROC	CESS	APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY
	Disposal: Underground Injection Landfill Land Treatment Ocean Disposal Surface Impoundment Other Disposal Storage: Container (Barrel, Drum, Etc.) Tank Waste Pile Surface Impoundment Drip Pad Containment Building-Storage Other Storage	or Liters Per Day Acre-feet or Hectare-meter Acres or Hectares Gallons Per Day r Liters Per Day Gallons or Liters Any Unit of Measure Listed Below Gallons or Liters Gallons or Liters Cubic Yards or Cubic Meters	T87 T88 T89 T90 T91 T92 T93	Smelting, Mel Or Refining Fr Titanium Diox Chloride Prod Oxidation Rea Methane Refor Furnace Pulping Liquo Recovery Fur Combustion L Used In The R Of Sulfur Valu Spent Sulfurio Halogen Acid Other Industr Furnaces List 40 CFR §260. Containment	curriace cide cess corming corming corming corming covice Recovery ces From c Acid Furnaces ial ced in	Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Short Tons Per Day; or Btu's Per Hour
T01 T02 T03 T04 T80 T81 T82 T83 T84 T85 T86	Cement Kiln	Gallons Per Day or Liters Per Day Gallons Per Day or Liters Per Day Short Tons Per Hour; Metric Tons Per Hour; Gallons Per Hour; Liters Per Hour; or Btu's Per Hour Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Short Tons Per Day; or Btu's Per Hour Gallons or Liters Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Short Tons Per Day; or	X01 X02 X03 X04 X99	Building-Trea Miscellaneous Open Burning Detonation Mechanical Pl Thermal Unit Geologic Rep Other Subpar	s (Subpart X): g/Open rocessing pository	Any Unit of Measure Listed Below Short Tons Per Hour; Metric Tons Per Hour; Short Tons Per Day; Metric Tons Per Day; Pounds Per Hour; or Kilograms Per Hour Gallons Per Day; Liters Per Day; Pounds Per Hour; Short Tons Per Hour; Kilograms Per Hour; Metric Tons Per Day; Metric Tons Per Hour; Short Tons Per Day; or Btu's Per Hour Cubic Yards or Cubic Meters Any Unit of Measure Listed Below

UNIT OF MEASURE	UNIT OF MEASURE CODE	UNIT OF MEASURE		UNIT OF MEASURE	UNIT OF MEASURE CODE
Gallons	E U L H	Short Tons Per Ho Metric Tons Per Ho Short Tons Per Da Metric Tons Per Da Pounds Per Hou Kilograms Per Hou	our W y N ay S J	Cubic Yards Cubic Meters	

EP	A I.D.	. Nun	nber	(Ente	er from page 1)	PORTER DESIGNATION OF THE PROPERTY OF THE PROP	The Company of the Co	Sec	condary ID	Number	(Ente	er froi	n pa	ge 1)		
ID	489	000	8952	2													
XII	. Prod	cess	Code	s an	d Design Capabilities (Continued)											
	E) ga	XAM allon:	PLE I s.	FOR	COMPLETING ITEM XII (Shown ii	n line number X-	1 below): A	facilit	ty has a sto	rage tank	, whi	ch ca	n ho	old 5	33.78	88	
	ne	N 200 12	Proce		B. PROCES	S DESIGN CAPA	CITY			C. Proce				r Off			
Nui	nber	8	Code list al		1. A	mount (Specify)		2. Unit Of Measure (Enter code)	Total Numbe Of Unit	er	Use Only						
х	1	s	0	2		5 3	3.788		G	0 0	1						0.00
	1	S	0	1		24,678,658*	k* .		G	00)3						
	2																
	3						e										
	4																
	5						0										
	6					XX and the second second second second											
	7																
	8																
	9						•										
1	0						•										
1	1												\perp		\bot		
1	2																
1	3																
	abo	ove. I		er th	d to list more than 13 process coo le lines sequentially, taking into a (III.												
XIII	. Oth	er Pr	oces	ses (Follow instructions from item XII	for D99, S99, T0	4 and X99 p	roces	s codes)								
Li		100 100 100	Proce	O MANAGEMENT	B. PROCESS DESIG				rocess	D.	Des	criptic	on C	of Pr	oces	S	Consumer
	nber *#s in v/XII)		Code i list al		1. Amount (s)	pecify)	2. Unit Of Measure (Enter code)	Nui	otal mber Units								
X	1	Т	0	4		•					ln-sit	tu Vitr	ifica	tion			
	1																
	2					_											
							,										
	3					•											
	4						2										

SUPPLEMENT TO ITEM XII

Process Codes and Design Capabilities Supplement

The process units listed in Item XII (page 4 of 7) of this Part A permit application are briefly described below.

5	Line No.	Process Description
6 7	1	TSA-1/TSA-R Storage Capacity: 20,237,720 gallons. This unit is incorporated within the capacity of TSA-RE RMF.
8 9	2	TSA-2 Storage Capacity: 4,440,938 gallons. This unit is incorporated within the capacity of TSA-RE RMF.
10 11	3	TSA-RMF Storage Capacity: 24,678,658 gallons. This unit includes the capacities for the TSA-1/TSA-R and TSA-2 storage units.

Overview of RWMC

The RWMC is a restricted-access area located 7 miles southwest of the Central Facilities Area (CFA) at the Idaho National Engineering and Environmental Laboratory (INEEL) (See Drawing 1, Item XVI). (The reader is directed to Volume 1, HWMA/RCRA Part A Permit Application for the INEEL, for a description of the INEEL.) The mission of the RWMC is to manage the disposal of low-level radioactive waste and the storage of transuranic (TRU) radioactive waste. Most of these wastes also contain Resource Conservation and Recovery Act (RCRA)-hazardous constituents, termed "mixed" low-level and/or TRU wastes. In addition, the AMWTP treatment facility (currently under construction) will expand the complex's waste management operations to include treating and preparing 65,000 m³ of these wastes for shipment out of Idaho.

The RWMC is divided into four areas. The administrative area, located in the northeast section of the facility, consists of buildings used for office space and other activities that support operations. The operations area, a 10-acre area located west of the administrative area, consists of buildings and storage sheds used for operations and maintenance activities that support the RWMC. The Subsurface Disposal Area (SDA) is a 97-acre area located in the western section of the facility dedicated to permanent shallow-land disposal of solid, low-level radioactive waste. The Transuranic Storage Area (TSA) is a 56-acre area located in the southern section of the facility, dedicated to the temporary storage of contact- and remote-handled radioactive-only and mixed wastes. The TSA is also contained within a security fence and includes the Stored Waste Examination Pilot Plant (SWEPP), the Transuranic Package Transporter

- 1 (TRUPACT) Loading Station, the Waste Storage Facility (WSF) Type I and Type II storage modules, the
- 2 TSA Retrieval Enclosure (TSA-RE), and the Intermediate-Level Transuranic Storage Facility (ILTSF).
- The TSA is also the location for the AMWTP. Descriptions of the RWMC interim status units that are
- 4 included in this Part A application follow.

TSA Units

5

6

7

8

9

11

12

13

14

15

16 17

18

19

20

21

2223

24

25

26

27

28

29 30 The TSA-RE (WMF-636), which is not a permitted or interim status unit, is a weather-protective metal building over pads TSA-R and TSA-1, with an adjacent wing over pad TSA-2. The building covers the waste stack, berms, and sloped earth. The work area within the TSA-RE encloses the earth overburden that will be removed to expose waste containers. Figure 1 is a schematic of the TSA-RE layout, including the location of each pad and the cells associated with each pad.

In 1970, the Atomic Energy Commission (AEC) directed that all waste contaminated with TRU isotopes be segregated from other types of radioactive waste because of the radiotoxicity and long half-lives of the TRU material. The TRU waste was to be stored in a readily retrievable manner, for an interim storage period of 20 years. When a federal repository became available, this waste was to be retrieved and sent for long-term isolation. The TSA-RE was constructed over three aboveground storage pads to facilitate retrieval of the waste for subsequent processing for transport to and disposal at the Waste Isolation Pilot Plant (WIPP).

The waste on the TSA pads is packaged in an assortment of containers that were stacked in various configurations, then covered with a variety of protective materials (plywood, planks, polyethylene sheeting, geo-fabric), and generally overlaid with 3-4 ft of soil seeded with sod building grass. Containers stored in TSA-1 and -2 are primarily 55-gal drums and fiberglass-reinforced plywood boxes; TSA-R primarily stores waste in storage boxes, bins, and cargo containers. (The cargo containers and some bins contain drums.) The TSA pads are discussed in more detail in the following paragraphs.

TSA-1/TSA-R

Completed in October 1970, TSA-1 was the first pad constructed at the TSA. Initially 150 ft wide by 400 ft long and surfaced with 4 in. of blacktop paving, the length of TSA-1 was extended to 730 ft in 1972. The pad was divided into eight cells of varying lengths separated by a 36-in. firewall. The first waste was emplaced at TSA-1 in November 1970, and the last was received in October 1975.

TSA-R was built in December 1976, to provide storage of waste removed from buried storage at the RWMC and repackaged in drums, steel bins, or metal cargo carriers. This pad is composed of a 2.5-in.

- layer of asphalt over a compacted base, 150 ft wide by 435 ft long. TSA-R received waste until about
- 2 1989. Waste is stored in three cells. Cell 1 is covered with soil, and Cells 2 and 3 are covered only with a
- 3 vinyl-coated geo-fabric tarp.
- 4 TSA-2

12

13

14

15

16

17

18

19 20

21

2223

TSA-2 is similar in construction to TSA-1. TSA-2 is 150 ft wide by 430 ft long, with a 3-in.-thick asphalt layer over a gravel base. Waste was placed into TSA-2 from 1975 until 1980. Each of the four cells that compose TSA-2 is paved with asphalt and isolated from the adjacent cell by a 2- to 4-ft-thick earth fire wall. In October 1975, an air-support building (the ASWS) was erected over the paved pad, on the first storage cell at the southern end of TSA-2, to permit all-weather operations. Three storage cells (1, 1A, and 2) were filled and covered with soil. After each cell was filled, the ASWS was moved to the north.

TSA-RE Retrieval Modification Facility (RMF)

The TSA-RE RMF has interim status for container storage, but has never been constructed. The unit was planned as an area to store waste retrieved from the TSA pads, pending transfer to other waste management units at the TSA. When all containers in a portion of the TSA-RE were removed, the area would be surveyed, sampled, and decontaminated. The structures, asphalt pad, and contiguous underlying soils would be checked for possible radioactive (and other) contamination. Areas to be modified for container storage would have the asphalt pad removed, the area regraded, and a concrete floor slab and interior divider walls constructed. These areas modified for container storage would comprise the TSA-RE RMF. Two storage areas, each 200 ft wide by 150 ft long, were initially planned. Up to six additional storage areas of similar size were to be added in the future, for a total of eight. If not required for additional storage of retrieved waste awaiting treatment or shipping, this unit will be scheduled for RCRA administrative closure.

GT99 0212




Figure 1. Location of Pads TSA-1, TSA-2, and TSA-R in the TSA-RE

1

2

EPA I.D. Number (Enter from page 1)	Secondary ID Number (Enter from page 1)
ID4890008952	
XIV. Description of Hazardous Wastes	

- A. EPA HAZARDOUS WASTE NUMBER Enter the four-digit number from 40 CFR, Part 261 Subpart D of each listed hazardous waste you will handle. For hazardous wastes which are not listed in 40 CFR, Part 261 Subpart D, enter the four-digit number(s) from 40 CFR, Part 261 Subpart C that describes the characteristics and/or the toxic contaminants of those hazardous wastes.
- B. ESTIMATED ANNUAL QUANTITY For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.
- C UNIT OF MEASURE For each quantity entered in column B enter the unit of measure code. Units of measure which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE	CODE	METRIC UNIT OF MEASURE	CODE
POUNDS	P	KILOGRAMS	К
TONS	Т	METRIC TONS	М

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. PROCESSES

1. PROCESS CODES:

For listed hazardous waste: For each listed hazardous waste entered in column A select the code(s) from the list of process codes contained in item XII A. on page 3 to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed hazardous waste: For each characteristic or toxic contaminant entered in column A, select the code(s) from the list of process codes contained in item XII A. on page 3 to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed hazardous wastes that possess that characteristic or toxic contaminant.

NOTE: THREE SPACES ARE PROVIDED FOR ENTERING PROCESS CODES. IF MORE ARE NEEDED:

- 1. Enter the first two as described above.
- 2. Enter "000" in the extreme right box of item XIV-D(1).
- 3. Enter in the space provided on page 7, Item XIV-E, the line number and the additional code(s).
- 2. PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space provided on the form (D.(2)).

NOTE: HAZARDOUS WASTES DESCRIBED BY MORE THAN ONE EPA HAZARDOUS WASTE NUMBER - Hazardous wastes that can be described by more than one EPA Hazardous Waste Number shall be described on the form as follows:

- 1. Select one of the EPA Hazardous Waste Numbers and enter it in column A. On the same line complete columns B, C and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.
- In column A of the next line enter the other EPA Hazardous Waste Number that can be used to describe the waste.
 In column D(2) on that line enter "included with above" and make no other entries on that line.
- 3. Repeat step 2 for each EPA Hazardous Waste Number that can be used to describe the hazardous waste.

EXAMPLE FOR COMPLETING ITEM XIV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

			A. E	100000		B. ESTIMATED			D. PROCESS								
-	ne nber	V	HAZ VAST Enter	ENC).	ANNUAL QUANTITY OF WASTE	MEASURE (Enter code)								(2) PROCESS DESCRIPTION (If a code is not entered in D(1))		
X	1	K	0	5	4	900	P	T	0	3	D	8	0				
X	2	D	0	0	2	400	P	T	0	3	D	8	0				-
X	3	D	0	0	1	100	P	T	0	3	D	8	0				
X	4	D	0	0	2												Included With Above

		Π	Α.	EPA		B. ESTIMATED	C. UNIT OF	П						D. PRO	OCESSES
	ine nber	HAZARD WASTE NO. (Enter code)			0.	ANNUAL MEAS QUANTITY OF (En	MEASURE (Enter code)	(1) PR	OCE	ss co	ODES (Ente	(2) PROCESS DESCRIPTION (If a code is not entered in D(1))	
	1 D 0 0			0	1	83,978	T	S	0	1					TSA-1/TSA-R
	2	D	0	0	2								\perp		Included with above
	3	D	0	0	4										Included with above
	4	D	0	0	5										Included with above
	5	D	0	0	6								\perp		Included with above
	6	D	0	0	7								\perp		Included with above
	7	D	0	0	8								\perp		Included with above
	8	D	0	0	9								\perp		Included with above
	9	D	0	1	0								\perp		Included with above
1	0	D	0	1	1										Included with above
1	1	D	0	1	8										Included with above
1	2	D	0	1	9										Included with above
1	3	D	0	2	1								\perp		Included with above
1	4	D	0	2	2										Included with above
1	5	D	0	2	3										Included with above
1	6	D	0	2	4										Included with above
1	7	D	0	2	5								\perp		Included with above
1	8	D	0	2	6										Included with above
1	9	D	0	2	8										Included with above
2	0	D	0	2	9								_		Included with above
2	1	D	0	3	2								\perp		Included with above
2	2	D	0	3	4							\perp	\perp		Included with above
?	3	D	0	3	5								\perp		Included with above
2	4	D	0	3	6								\perp		Included with above
2	5	D	0	3	8							\perp			Included with above
2	6	D	0	3	9										Included with above
2	7	D	0	4	0								\perp		Included with above
2	8	F	0	0	1										Included with above
2	9	F	0	0	2										Included with above
3	0	F	0	0	3										Included with above
3	1	F	0	0	4										Included with above
3	2	F	0	0	5										Included with above
3	3	F	0	0	6										Included with above

	A ID Normalian (Fredam formalism 4)
EPA I.D. Number (Enter from page 1)	Secondary ID Number (Enter from page 1)
ID4890008952	

XIV. Description of Hazardous Wastes (Continued)							tinued)	1								
	ne	И	HAZ /AST	EPA 'ARI 'E N	0.	B. ESTIMATED ANNUAL QUANTITY OF	C. UNIT OF MEASURE (Enter	(1) P	ROCE	SS COL	ES (E	D. PRO	CESSES (2) PROCESS DESCRIPTION			
Nur	nber	H	nte	cod	le)	WASTE	code)				T		(If a code is not entered in D(1)) Inc. with TSA-1/TSA-R,			
	1	F	0	0	7			-	+	\vdash	-	\Box	Pg. 6A-1, line 1			
	2	F	0	0	9						1		Included with above			
	3	F	0	3	9				\perp				Included with above			
	4	P	0	0	5								Included with above			
	5	P	0	1	2								Included with above			
	6	P	0	2	2								Included with above			
	7	P	0	2	4								Included with above			
	8	P	0	2	7								Included with above			
	9	P	0	2	8								Included with above			
1	0	P	0	3	0								Included with above			
1	1	P	0	3	1								Included with above			
1	2	P	0	5	6								Included with above			
1	3	P	0	7	3								Included with above			
1	4	P	0	7	5								Included with above			
1	5	P	0	7	7								Included with above			
1	6	P	0	9	8								Included with above			
1	7	P	1	0	4								Included with above			
1	8	P	1	0	5								Included with above			
1	9	P	1	0	6								Included with above			
2	0	P	1	1	3								Included with above			
2	1	P	1	1	6								Included with above			
2	2	P	1	1	9								Included with above			
2	3	P	1	2	0								Included with above			
2	4	U	0	0	3								Included with above			
2	5	U	0	0	4		×						Included with above			
2	6	U	0	0	7								Included with above			
2	7	U	0	0	9								Included with above			
2	8	U	0	1	2								Included with above			
2	9	U	0	1	4								Included with above			
3	0	U	0	1	9								Included with above			
3	1	U	0	2	0								Included with above			
3	2	U	0	3	2								Included with above			
3	3	U	0	3	7								Included with above			

XIV. Description	of Hazardous Wastes	(Continued)
------------------	---------------------	-------------

AIV	XIV. Description of Haz					B. ESTIMATED	D. PROCESSES								
0.000000	ne nber	И	HAZ /AST	ARE E N	0.	ANNUAL QUANTITY OF WASTE	C. UNIT OF MEASURE (Enter code)	(1,) PR	OCE.	ss co	DES (Ente	r code)	(2) PROCESS DESCRIPTION (If a code is not entered in D(1))
	1	U	0	4	4								I		Inc. with TSA-1/TSA-R, Pg. 6A-1, line 1
	2	U	0	4	8										Included with above
	3	U	0	5	2								\perp		Included with above
	4	U	0	6	9										Included with above
	5	U	0	7	9								\perp		Included with above
	6	U	0	8	0								\perp		Included with above
	7	U	0	8	1								\perp		Included with above
	8	U	0	8	3								\perp		Included with above
	9	U	0	8	4								\perp		Included with above
1	0	U	1	0	2										Included with above
1	1	U	1	0	3								1		Included with above
1	2	U	1	0	8								\perp		Included with above
1	3	U	1	1	6								\perp		Included with above
1	4	U	1	1	8								\perp		Included with above
1	5	U	1	2	0								\perp		Included with above
1	6	U	1	2	2										Included with above
1	7	U	1	2	3								\perp		Included with above
1	8	U	1	2	7							_			Included with above
1	9	U	1	2	8									$\bot \bot$	Included with above
2	0	U	1	3	1								_	$\bot \bot$	Included with above
2	1	U	1	3	3								_	$\bot \bot$	Included with above
2	2	U	1	3	4			_					_		Included with above
2	3	U	1	3	5								_	$\bot\bot$	Included with above
2	4	U	1	3	8							\perp	_		Included with above
2	5	U	1	4	0							\perp	_		Included with above
2	6	U	1	4	4							\bot	_		Included with above
2	7	U	1	4	5							\perp	_	\bot	Included with above
2	8	U	1	4	7							_			Included with above
2	9	U	1	5	1							\perp			Included with above
3	0	U	1	5	9							\bot		\bot	Included with above
3	1	U	1	6	2							_	_		Included with above
3	2	U	1	6	5							\perp	_		Included with above
3	3	U	1	6	9										Included with above

Thease print of type with EETTE type (12 characters per mon) in the anomalous	GSA NO. 0240-EFA-0
EPA I.D. Number (Enter from page 1)	Secondary ID Number (Enter from page 1)
ID4890008952	

3/13/	D 4:	of Hazardous	8414	(O-méimus d)
XIV	Description	or mazardous	VVASTES	rcommuear

	A. EPA HAZARD					B. ESTIMATED	C. UNIT OF	D. PROCESSES								
	ine nber	И	AST	ARD TE N	0.	ANNUAL QUANTITY OF WASTE	MEASURE (Enter code)	(1)	PRO	CES	SS C	ODE:	S (Eı	nter ((If a code is not entered in D(1))	
	1	U	1	7	0											Inc. with TSA-I/TSA-R, Pg. 6A-1, line 1
	2	U	1	7	1											Included with above
	3	U	1	8	2											Included with above
	4	U	1	8	8											Included with above
	5	U	1	9	0											Included with above
	6	U	1	9	1											Included with above
	7	U	1	9	6											Included with above
	8	U	2	0	1											Included with above
	9	U	2	0	4											Included with above
1	0	U	2	0	7											Included with above
1	1	U	2	0	8											Included with above
1	2	U	2	1	0											Included with above
1	3	U	2	1	1											Included with above
1	4	U	2	1	5											Included with above
1	5	U	2	1	7											Included with above
1	6	U	2	1	8											Included with above
1	7	U	2	1	9											Included with above
1	8	U	2	2	0											Included with above
1	9	U	2	2	5											Included with above
2	0	U	2	2	6											Included with above
2	1	U	2	2	7											Included with above
2	2	U	2	2	8											Included with above
2	3	U	2	3	9									_		Included with above
2	4	U	3	2	8											Included with above
2	5												-			
2	6			_												
2	7			_												
2	8			_												
2	9			_			-									
3	0															
3	1													-		
3	2															
3	3															

XIV. Description of Hazardous Wastes (Continued)

XIV	XIV. Description of Hazardous Wastes (Continued)																
	A. EPA B. ESTIMATED C. UNI HAZARD ANNUAL MEAS																
	ne nber	И	/AST	TE No	0.	QUANTITY OF WASTE	(Enter code)	(1) PR	OCE	ss c	ODE	S (Ei	nter	(2) PROCESS DESCRIPTION (If a code is not entered in D(1))		
	1	D	0	0	1	15,955	T	S	0	1						TSA-2 (Earthen Covered)	
	2	D	0	0	2											Included with above	
	3	D	0	0	4											Included with above	
	4	D	0	0	5											Included with above	
	5	D	0	0	6			L								Included with above	
	6	D	0	0	7											Included with above	
	7	D	0	0	8											Included with above	
	8	D	0	0	9						_					Included with above	
	9	D	0	1	0											Included with above	
1	0	D	0	1	1											Included with above	
1	1	D	0	1	8											Included with above	
1	2	D	0	1	9											Included with above	
1	3	D	0	2	1											Included with above	
1	4	D	0	2	2											Included with above	
1	5	D	0	2	3											Included with above	
1	6	D	0	2	4											Included with above	
1	7	D	0	2	5											Included with above	
1	8	D	0	2	6											Included with above	
1	9	D	0	2	8			-			_					Included with above	
2	0	D	0	2	9											Included with above	
2	1	D	0	3	2											Included with above	
2	2	D	0	3	4											Included with above	
2	3	D	0	3	5									_		Included with above	
2	4	D	0	3	6											Included with above	
2	5	D	0	3	8											Included with above	
2	6	D	0	3	9											Included with above	
2	7	D	0	4	0											Included with above	
2	8	F	0	0	1											Included with above	
2	9	F	0	0	2											Included with above	
3	0	F	0	0	3											Included with above	
3	1	F	0	0	4											Included with above	
3	2	F	0	0	5											Included with above	
3	3	F	0	0	6	(0.1/96)										Included with above	

, , , , , , , , , , , , , , , , , , ,	
EPA I.D. Number (Enter from page 1)	Secondary ID Number (Enter from page 1)
ID4890008952	
VIV Description of Herendeus Mastes (Continued)	

ΧIV	(IV. Description of Hazardous Wastes (Continued)																
	A. EPA B. ESTIMATED C. UNIT OF HAZARD ANNUAL MEASURE							D. PROCESSES									
	ine nber	V	VAST	TE N	0.	QUANTITY OF WASTE	(Enter code)	(1) PI	ROCE	ss co	DES (E	nter	code)	(2) PROCESS DESCRIPTION (If a code is not entered in D(1))			
	1	F	0	0	7									Inc. with TSA-2 (Earthen Covered) Pg. 6B-1, line 1			
	2	F	0	0	9									Included with above			
	3	F	0	3	9									Included with above			
	4	P	0	0	5									Included with above			
	5	P	0	1	2									Included with above			
	6	P	0	2	2									Included with above			
	7	P	0	2	4									Included with above			
	8	P	0	2	7									Included with above			
	9	P	0	2	8									Included with above			
1	0	P	0	3	0							L		Included with above			
1	1	P	0	3	1									Included with above			
1	2	P	0	5	6									Included with above			
1	3	P	0	7	3							L		Included with above			
1	4	P	0	7	5				\perp			L		Included with above			
1	5	P	0	7	7				_					Included with above			
1	6	P	0	9	8				\perp					Included with above			
1	7	P	1	0	4				\perp					Included with above			
1	8	P	1	0	5							_		Included with above			
1	9	P	1	0	6	-						_		Included with above			
2	0	P	1	1	3									Included with above			
2	1	P	1	1	6					\sqcup				Included with above			
2	2	P	1	1	9									Included with above			
2	3	P	1	2	0	,						_		Included with above			
2	4	U	0	0	3									Included with above			
2	5	U	0	0	4							_		Included with above			
2	6	U	0	0	7				_		_	_		Included with above			
2	7	U	0	0	9				_		_			Included with above			
2	8	U	0	1	2				_	\sqcup				Included with above			
2	9	U	0	1	4				_			_		Included with above			
3	0	U	0	1	9				_	\sqcup		_		Included with above			
3	1	U	0	2	0				_			_		Included with above			
3	2	U	0	3	2				_			_		Included with above			
3	3	U	0	3	7									Included with above			

ID4890008952 XIV. Description of Hazardous Wastes (Continued)													
		1		EPA		B. ESTIMATED	C. UNIT OF	I				D. PRO	OCESSES
	ne nber	И	/AST	ARE FE N	0.	ANNUAL QUANTITY OF WASTE	MEASURE (Enter code)	(1) PR	OCESS	COD	ES (Ei	nter code)	(2) PROCESS DESCRIPTION (If a code is not entered in D(1))
	1	U	0	4	4								Inc. with TSA-2 (Earthen Covered) Pg. 6B-1, line 1
	2	U	0	4	8								Included with above
	3	U	0	5	2								Included with above
	4	U	0	6	9								Included with above
	5	U	0	7	9								Included with above
	6	U	0	8	0		Company of the second s						Included with above
	7	U	0	8	1								Included with above
	8	U	0	8	3								Included with above
	9	U	0	8	4								Included with above
1	0	U	1	0	2								Included with above
1	1	U	1	0	3								Included with above
1	2	U	1	0	8								Included with above
1	3	U	1	1	6								Included with above
1	4	U	1	1	8								Included with above
1	5	U	1	2	0								Included with above
1	6	U	1	2	2								Included with above
1	7	U	1	2	3								Included with above
1	8	U	1	2	7								Included with above
1	9	U	1	2	8								Included with above
2	0	U	1	3	1								Included with above
2	1	U	1	3	3								Included with above
2	2	U	1	3	4								Included with above
2	3	U	1	3	5								Included with above
2	4	U	1	3	8								Included with above
2	5	U	1	4	0								Included with above
2	6	U	1	4	4								Included with above
2	7	U	1	4	5								Included with above
2	8	U	1	4	7								Included with above
2	9	U	1	5	1								Included with above
3	0	U	1	5	9								Included with above
3	1	U	1	6	2								Included with above
3	2	U	1	6	5	=							Included with above
3	3	U	1	6	9						П		Included with above

Please print or type with ELITE type (12 characters per inch) in the L	aded areas only GSA No. 0248-EPA-O
EPA I.D. Number (Enter from page 1)	Secondary ID Number (Enter from page 1)
ID4890008952	
XIV. Description of Hazardous Wastes (Continued)	

ΧIV	XIV. Description of Hazardous Wastes (Continued)																				
7				EPA 'ARC		B. ESTIMATED	B. ESTIMATED C. UNIT OF ANNUAL MEASURE					D. PROCESSES									
	ine nber	И	/AST	TE N	0.	QUANTITY OF WASTE	(Enter code)	(1)) PR	OCE:	SS C	ODE	S (E	nter	code)	(If a code is not entered in D(1))					
	1	U	1	7	0								Inc. with TSA-2 (Earthen Covered) Pg. 6B-1, line 1								
	2	U	1	7	1											Included with above					
	3	U	1	8	2											Included with above					
	4	U	1	8	8											Included with above					
	5	U	1	9	0											Included with above					
	6	U	1	9	1											Included with above					
	7	U	1	9	6	0										Included with above					
	8	U	2	0	1											Included with above					
	9	U	2	0	4											Included with above					
1	0	U	2	0	7											Included with above					
1	1	U	2	0	8											Included with above					
1	2	U	2	1	0											Included with above					
1	3	U	2	1	1											Included with above					
1	4	U	2	1	5											Included with above					
1	5	U	2	1	7											Included with above					
1	6	U	2	1	8											Included with above					
1	7	U	2	1	9											Included with above					
1	8	U	2	2	0											Included with above					
1	9	U	2	2	5											Included with above					
2	0	U	2	2	6											Included with above					
2	1	U	2	2	7							1.7				Included with above					
2	2	U	2	2	8											Included with above					
2	3	U	2	3	9											Included with above					
2	4	U	3	2	8											Included with above					
2	5																				
2	6																				
2	7			<u></u>																	
2	8																				
2	9																				
3	0																				
3	1																				
3	2																				
3	3						W-5-4 (G)-W-5-5-5-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6														

EPA I.D. Number (Enter from page 1)	Secondary ID Number (Enter from page 1)	
ID4890008952	,	

XIV. Description of Hazardous Wastes (Continued)

XIV. Description of Hazardous Wastes (Continued)																
	A. EPA B. ESTIMATED C. UNIT OF HAZARD ANNUAL MEASURE				_		-					D. PRO	CESSES			
	ine nber	И	AS	TE N	0.	QUANTITY OF WASTE	(Enter code)	(1) PR	OCE	ss c	ODE	S (E	nter c	ode)	(2) PROCESS DESCRIPTION (If a code is not entered in D(1))
	1	D	0	0	1	6,006	Т	S	0	1						TSA-RE Retrieval Modification Facility (TSA-RE RMF)
	2	D	0	0	2											Included with above
	3	D	0	0	4	1.										Included with above
	4	D	0	0	5											Included with above
	5	D	0	0	6											Included with above
	6	D	0	0	7											Included with above
	7	D	0	0	8											Included with above
	8	D	0	0	9											Included with above
	9	D	0	1	0											Included with above
1	0	D	0	1	1											Included with above
1	1	D	0	1	8											Included with above
1	2	D	0	1	9											Included with above
1	3	D	0	2	1											Included with above
1	4	D	0	2	2											Included with above
1	5	D	0	2	3											Included with above
1	6	D	0	2	4											Included with above
1	7	D	0	2	5										_	Included with above
1	8	D	0	2	6											Included with above
1	9	D	0	2	8											Included with above
2	0	D	0	2	9											Included with above
2	1	D	0	3	2										_	Included with above
2	2	D	0	3	4								_		_	Included with above
2	3	D	0	3	5							4				Included with above
2	4	D	0	3	6	,						_			_	Included with above
2	5	D	0	3	8							_	-			Included with above
2	6	D	0	3	9					\Box		_	_			Included with above
2	7	D	0	4	0					\blacksquare		_	\dashv			Included with above
2	8	F	0	0	1							_		_		Included with above
2	9	F	0	0	2							_		_		Included with above
3	0	F	0	0	3				\dashv	\dashv		\dashv			-	Included with above
3	1	F	0	0	4						_	\dashv	_			Included with above
3	2	F	0	0	5							- 1				Included with above
3	3	F	0	0	6											Included with above

	, SCA 160, 0240-E1 A-01
EPA I.D. Number (Enter from page 1)	Secondary ID Number (Enter from page 1)
ID4890008952	

XIV. Description of Hazardous Wa	astes (Continued)
----------------------------------	-------------------

XI	/. Des	scrip	tion	of H	azar	dous Wastes (Cor	ntinued)								
				EPA ZARI		B. ESTIMATED ANNUAL	C. UNIT OF MEASURE							D. PRO	DCESSES
_	ine mber	V	VAS	TE N r cod	0.	QUANTITY OF WASTE	(Enter code)	(1)	(1) PROCESS CODES (Enter code)						(2) PROCESS DESCRIPTION (If a code is not entered in D(1))
	1	F	0	0	7										Inc. with TSA-RE RMF, Pg. 6C-1, line 1
	2	F	0	0	9										Included with above
	3	F	0	3	9								_		Included with above
	4	P	0	0	5								_		Included with above
_	5	P	0	1	2							\perp	\perp		Included with above
	6	P	0	2	2							\perp	1		Included with above
	7	P	0	2	4							\perp	_		Included with above
_	8	P	0	2	7							_	\downarrow		Included with above
	9	P	0	2	8							_	\downarrow		Included with above
1	0	P	0	3	0								\downarrow	$\perp \downarrow \perp$	Included with above
1	1	P	0	3	1							_	1		Included with above
1	2	P	0	5	6								\downarrow		Included with above
1	3	P	0	7	3					\dashv	_		1		Included with above
1	4	P	0	7	5			\perp		\Box		_	_		Included with above
1	5	P	0	7	7					_			1		Included with above
1	6	P	0	9	8				_				4		Included with above
1	7	P	1	0	4			_	_		_		4		Included with above
1	8	P	1	0	5			_	_		_		\downarrow		Included with above
1	9	P	1	0	6			_	_	_	_		4		Included with above
2	0	P	1	1	3			_	4	_	_	_	4		Included with above
2	1	P	1	1	6			_	\dashv	_	_	\perp	+		Included with above
2	2	P	1	1	9				_	_	_	_	1		Included with above
2	3	P	1	2	0			_	\dashv	\dashv	_	_	1		Included with above
2	4	U	0	0	3			_	4	\dashv	_	_	1		Included with above
2	5	U	0	0	4			\perp	4	\dashv	\perp	_	\downarrow		Included with above
2	6	U	0	0	7			_	\dashv	\dashv	\perp	_	1		Included with above
2	7	U	0	0	9			_	\dashv	4	4		\downarrow		Included with above
2	8	U	0	1	2			_	\perp	\dashv	\bot	_	+		Included with above
2	9	U	0	1	4			_	\perp	4	\perp	\bot	1		Included with above
3	0	U	0		9			+	4	_	\perp	_	-	_ _ _	Included with above
3	1				0			_	4	_	\perp	_	-		Included with above
3	2	U	0	3	2				4	\dashv	+	_	\downarrow		Included with above
3	3	U	0	3	7	1/00)									Included with above

EPA I.D. Number (Enter from page 1)	Secondary ID Number (Enter from page 1)
ID4890008952	

_	. Des			-	azar	dous Wastes (Con	ntinued)									
A. EPA B. ESTIMATED C. UNIT OF									D. PROCESSES							
	ine nber	И	/AST	ARE TE N	0.	ANNUAL QUANTITY OF WASTE	MEASURE (Enter code)	(1) P	ROCE	ss cor	DES (Ei	nter code) (2) PROCESS DESCRIPTION (If a code is not entered in D(1))			
	1	U	0	4	4								Inc. with TSA-RE RMF, Pg. 6C-1, line 1			
	2	U	0	4	8								Included with above			
	3	U	0	5	2								Included with above			
	4	U	0	6	9								Included with above			
	5	U	0	7	9								Included with above			
	6	U	0	8	0								Included with above			
	7	U	0	8	1								Included with above			
	8	U	0	8	3								Included with above			
	9	U	0	8	4								Included with above			
1	0	U	1	0	2								Included with above			
1	1	U	1	0	3								Included with above			
1	2	U	1	0	8								Included with above			
1	3	U	1	1	6								Included with above			
1	4	U	1	1	8								Included with above			
1	5	U	1	2	0								Included with above			
1	6	U	1	2	2								Included with above			
1	7	U	1	2	3								Included with above			
1	8	U	1	2	7								Included with above			
1	9	U	1	2	8								Included with above			
2	0	U	1	3	1								Included with above			
2	1	U	1	3	3								Included with above			
2	2	U	1	3	4								Included with above			
2	3	U	1	3	5								Included with above			
2	4	U	1	3	8								Included with above			
2	5	U	1	4	0								Included with above			
2	6	U	1	4	4						Ш		Included with above			
2	7	U	1	4	5						Ш		Included with above			
2	8	U	1	4	7						Ш		Included with above			
2	9	U	1	5	1		,				\perp		Included with above			
3	0	U	1	5	9								Included with above			
3	1	U	1	6	2								Included with above			
3	2	U	1	6	5								Included with above			
3	3	U	1	6	9								Included with above			

EPA I.D. Number (Enter from page 1)	Secondary ID Number (Enter from page 1)
ID4890008952	
VIV Description of Herendaus Marks (Cardinused)	

ΧIV	XIV. Description of Hazardous Wastes (Continued)																
A. EPA B. ESTIMATED C. UNIT OF HAZARD ANNUAL MEASURE									D. PROCESSES								
	ine nber	W	'AST	ARL E N	0.	ANNUAL QUANTITY OF WASTE	MEASURE (Enter code)	(1)	PRO	OCE	ss c	ODE	S (E	nter	(2) PROCESS DESCRIPTION (If a code is not entered in D(1))		
	1	U	1	7	0												Inc. with TSA-RE RMF, Pg. 6C-1, line 1
	2	U	1	7	1												Included with above
	3	U	1	8	2												Included with above
	4	U	1	8	8												Included with above
	5	U	1	9	0												Included with above
	6	U	1	9	1												Included with above
	7	U	1	9	6												Included with above
	8	U	2	0	1												Included with above
	9	U	2	0	4												Included with above
1	0	U	2	0	7												Included with above
1	1	U	2	0	8												Included with above
1	2	U	2	1	0												Included with above
1	3	U	2	1	1												Included with above
1	4	U	2	1	5												Included with above
1	5	U	2	1	7												Included with above
1	6	U	2	1	8												Included with above
1	7	U	2	1	9												Included with above
1	8	U	2	2	0												Included with above
1	9	U	2	2	5												Included with above
2	0	U	2	2	6												Included with above
2	1	U	2	2	7												Included with above
2	2	U	2	2	8												Included with above
2	3	U	2	3	9												Included with above
2	4	U	3	2	8												Included with above
2	5																
2	6																
2	7											-					
2	8																
2	9																
3	0																
3	1																
3	2																
3	3																

1

40

Hazardous	Waste	Debris	Categories
-----------	-------	---------------	------------

Idaho Administrative Procedures Act (IDAPA) 58.01.05.012 [40 CFR 270.13(n)] requires a description of the debris categories stored at a facility to be submitted in the Part A Permit Application. Debris as defined by 40 CFR 268.2 means a solid material exceeding a 60-mm particle size that is intended for disposal and that is: 1) a manufactured object; 2) plant or animal matter; or 3) natural geologic material. Debris stored at the RWMC includes waste in all three general categories. The following is a list of examples in each debris category that may be stored at the TSA units.

9	CATEGORY I—Manufactured Objects
10	Glass
11	Concrete
12	Masonry and refractory bricks
13	Paper
14	Plastic
15	Rubber
16	Cloth
17	Pavement
18	Metal Debris
19	Pipes
20	Valves
21	Scrap metal
22	Other Heterogeneous Debris
23	Non-intact containers
24	Tanks
25	Appliances
26	Industrial equipment
27	
28	CATEGORY II—Plant and Animal Matter
29	Biological Debris
30	Animal carcasses
31	Other plant matter
32	Wood Debris
33	Wood
34	Plant stumps
35	
36	CATEGORY III—Natural Geologic Material
37	Rock
38	Cobbles
39	Boulders

Asbestos

Item XVII Photographs

2 TSA-RE

3			
4	Photo No.	Photo Description	Date
5	Photo 1.	View of Northeast corner of TSA-RE (TSA-1/TSA-R within)	6/99
6	Photo 2.	Interior of TSA-1/TSA-R, located within the TSA-RE	6/99
7	Photo 3.	View of Northwest corner of TSA-RE (TSA-1/TSA-R within)	6/99
8	Photo 4.	View of Southwest corner of TSA-RE (TSA-R within)	6/99
9	Photo 5.	View of Southeast corner of TSA-RE (TSA-2 and TSA-R within)	6/99
10	Photo 6.	Aerial Photo of RWMC Facility	6/99



Photo 1. View of Northeast corner of TSA-RE (TSA-1/TSA-R within)




Photo 2. Interior of TSA-1/TSA-R, located within the TSA-RE



Photo 3. View of Northwest corner of TSA-RE (TSA-1/TSA-R within)



Photo 4. View of Southwest corner of TSA-RE (TSA-R within)




Photo 5. View of Southeast corner of TSA-RE (TSA-2 and TSA-R within)



Photo 6. Aerial Photo of RWMC Facility

ITEM XVI

FACILITY DRAWING

Drawing Number

Drawing Description


Drawing 1.

Map of the INEEL showing RWMC location


Drawing 2

Radioactive Waste Management Complex (RWMC)

showing TSA-RE



Drawing 1. Location of RWMC at the INEEL




Drawing 2. Radioactive Waste Management Complex (RWMC)

ITEM XVI TOPOGRAPHIC MAP

RADIOACTIVE WASTE MANAGEMENT COMPLEX (RWMC)

(in sheet protector following)



Radioactive Waste Management Complex (RWMC)



Date Drawn: September 21, 2000

1 inch = 500 feet

NOTES: Landuse: RWMC facility boundaries are surrounded by restricted-access federal lands.

Legal Description: RWMC facility boundaries are located in Township 2 North, Range 29 East, Sections 17 and 18.

100-year floodplain: Portions of the RWMC facility boundaries are located within the 100-year floodplain. The AMWTF and WMF-629 through -634 boundaries are not located within the 100-year floodplain. If a 100-year flood were to occur the existing surface water drainage control system would prevent washout of any of the RWMC TSA HWMA-regulated units.

LEGEND

Primary Contours (10-ft. interval)

Intermediate Contours (2-f

Fences and Gates

Railroad Tracks

(Including Barriers for Drainage or Flood Control

Proposed Road Changes

Culverts

Flow Path

Withdrawal Wells

Injection Wells

Interim Status Treatment and Storage Areas

INEEL SPATIAL ANALYSIS LABORATORY

APPLYING TECHNOLOGY TO MEET ENVIRONMENTAL NEEDS

(/projects/rwmc/rwmc_permit_maps: rwmc_permit_1to500_el_v1.aml)

EPA I.D. Number (Enter from page 1)		Secondary ID Number (Enter from page 1)	
ID4890008952			
XV. Map			
boundaries. The map m structures, each of its h	on a topographic map, or other equivalent roust show the outline of the facility, the local nazardous waste treatment, storage, or dispers and other surface water bodies in this m	ation of each of its existing and pro posal facilities, and each well when	oposed intake and discharge re it injects fluids underground.
XVI. Facility Drawing			
All existing facilities mu	ust include a scale drawing of the facility (s	ee instructions for more detail).	
XVII. Photographs	XVII. Photographs		
	ust include photographs (aerial or ground-le disposal areas; and sites of future storage,		
XVIII. Certification(s)			
with a system designed to inquiry of the person or p information submitted is,	law that this document and all attachments to assure that qualified personnel properl persons who manage the system, or those to the best of my knowledge and belief, tralse information, including the possibility of	ly gather and evaluate the informa e persons directly responsible for rue, accurate, and complete. i am a	ation submitted. Based on my gathering the information, the ware that there are significant
Owner Signature			Date Signed
Name and Official Title (Type Beverly A. Cook, Man	e or print) nager, DOE-ID Operations Office, I	Idaho	
Owner Signature	1 Cook		Date Signed
Name and Official Title (Type	e or print)		
Operator Signature	P. Hulas		Date Signed 3/27/②め
Name and Official Title (Type Frederick P. Hughes, A	e or print) > AMWTP General Manager, BNFL	Ĭnc.	
Operator Signature		MIV.	Date Signed
Name and Official Title (Type	e or print)		
XIX. Comments			
			-
			e e
			,
Note: Mail completed form	to the appropriate EPA Regional or State (Office. (Refer to instructions for mo	ore information)